

We claim:

1. A method of relieving dizziness in a patient comprising the steps of:

mounting a non-invasive nerve stimulation device onto the ventral side of the wrist;

generating a stimulation signal; and

delivering the stimulation signal to the ventral side of the wrist.

2. A method of relieving dizziness in a patient comprising the steps of:

mounting at least one electrode onto the ventral side of the wrist;

generating a stimulation signal; and

delivering the stimulation signal to said at least one electrode to stimulate the ventral side of the wrist.

3. The method of claim 2 wherein said mounting step includes providing a wristwatch-like housing carrying the electrodes, and providing securing means for mounting the housing onto the wrist, with the housing having a circuit means for generating the stimulation signal encased within the housing.

4. The method of claim 2 wherein said delivering step comprises delivering an intermittent stimulation signal.

5. The method of claim 2 wherein said delivering step comprises
5 delivering a continuous stimulation signal.

6. A method of relieving dizziness in a patient by stimulating the median nerve and associated nerve structures in the wrist of the patient with electrical energy.

10

7. A method of relieving dizziness in a patient comprising the steps of:

applying an electro-acupuncture device to the wrist; and
stimulating the wrist with the electro-acupuncture device.

15

8. A method of relieving vertigo in a patient comprising the steps of:

mounting a non-invasive nerve stimulation device onto the
ventral side of the wrist;

20

generating a stimulation signal; and

delivering the stimulation signal to the ventral side of the
wrist.

9. A method of relieving vertigo in a patient comprising the steps of:

mounting at least one electrode onto the ventral side of the wrist;

5 generating a stimulation signal; and

delivering the stimulation signal to said at least one electrode to stimulate the ventral side of the wrist.

10 10. The method of claim 9 wherein said mounting step includes providing a wristwatch-like housing carrying the electrodes, and providing securing means for mounting the housing onto the wrist, with the housing having a circuit means for generating the stimulation signal encased within the housing.

15 11. The method of claim 9 wherein said delivering step comprises delivering an intermittent stimulation signal.

20 12. The method of claim 9 wherein said delivering step comprises delivering a continuous stimulation signal.

13. A method of relieving vertigo in a patient by stimulating the median nerve and associated nerve structures in the wrist of the patient with electrical energy.

14. A method of relieving vertigo in a patient comprising the steps of:

applying an electro-acupuncture device to the wrist; and
stimulating the wrist with the electro-acupuncture device.

0963337-041301